




Type: **GKHM 400-CIE.125.5FA IE**

Réf.: **N 43-40007**



Courbe caractéristique:



Données ErP:

	(EU) Nr. 327/2011	(Lot11)
qv	3970	m³/h
pfs	561	Pa
$\eta_{ed,fs}$	60,5	%
P _{ed}	1,11	kW
n	1875	tr/min
N	71	
v	6,64	m/s

Données nominales


U [V]	f [Hz]	Data @ [V]	P _{ed} [kW]	I _N [A]	n _N [tr/min]	t _R [°C]	k ₁₀ [m²s/h]	Catégorie	IP	m [kg]
1-200-277	50/60	230	1,11	4,9	1875	-25 .. +40	151	IE4	IP 54	19,5

Données acoustique:

Fréquence		63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	Distance	1 m	4 m
LwA(A,in) [dB(A)]	-6	-33	-17	-16	-11	-12	-13	-20	-25	LpA(A,in) [dB(A)]	-13	-23
LwA(A,out) [dB(A)]		-32	-20	-9	-5	-5	-7	-16	-22	LpA(A,out) [dB(A)]	-7	-17



Type: **GKHM 400-CIE.125.5FA IE**
Réf.: **N 43-40007**





Type: **GKHM 400-CIE.125.5FA IE**
 Réf.: **N 43-40007**

