




Type: **GKHM 400-CIE.125.5FA**

Réf.: **N43-40004**



Courbe caractéristique:



Données ErP:

	(EU) Nr. 327/2011	(Lot11)
q _v	3559	m³/h
p _{fs}	626	Pa
η _{ed,fs}	58,9	%
P _{ed}	1,14	kW
n	1875	tr/min
N	69	
v	5,92	m/s

Données nominales:

U [V]	f [Hz]	Data @ [V]	P _{ed} [kW]	I _N [A]	n _N [tr/min]	t _R [°C]	k ₁₀ [m²s/h]	Catégorie	IP	m [kg]
1~200-277	50/60	230	1,15	5,1	1875	-25 .. +40	151	IE4	IP 54	19,5


Données acoustique:

Fréquence	Σ	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	Distance	1 m	4 m
L _{wA} (A,in) [dB(A)]	-6	-37	-17	-13	-12	-14	-12	-19	-25	L _{pA} (A,in) [dB(A)]	-13	-23
L _{wA} (A,out) [dB(A)]		-31	-9	-8	-7	-5	-8	-15	-22	L _{pA} (A,out) [dB(A)]	-7	-17



Type: **GKHM 400-CIE.125.5FA**

Réf.: **N43-40004**





Type: **GKHM 400-CIE.125.5FA**

Réf.: **N43-40004**

